

QFX

WHERE THE PARTY BEGINS™



INSTRUCTION MANUAL



WARNING!



TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE THE COVER ON THIS SPEAKER. THERE ARE NO USER-SERVICEABLE PARTS INSIDE. REFER ALL SERVICING TO A QUALIFIED TECHNICIAN

To prevent fire or electric shock, do not expose this equipment to rain or moisture. Do not store or operate this product near any liquids, heat sources such as radiators, heat registers. Clean only with a dry cloth. Users should exhibit extra safety when this symbol appears in this instruction manual and follow all precautions as they are stated.



¡ADVERTENCIA!



PARA REDUCIR EL RIESGO DE DESCARGA ELÉCTRICA, NO quite la cubierta de este altavoz. No hay partes reparables por el usuario adentro. Remítir todo servicio a un técnico calificado

Para evitar incendios o descargas eléctricas, no exponga este equipo a la lluvia ni a la humedad. No almacene ni opere este producto cerca de líquidos, fuentes de calor como radiadores, registros de calor. Limpiar solamente con un paño seco. Los usuarios deben mostrar una seguridad adicional cuando aparece este símbolo en este manual de instrucciones y seguir todas las precauciones tal como se indican.



WARNING!




POUR RÉDUIRE LE RISQUE DE DÉCHARGE ÉLECTRIQUE, NE RETIREZ PAS LE COUVERCLE DE CETTE ENCEINTE. IL N'Y A AUCUNE PIÈCE RÉPARABLE PAR L'UTILISATEUR À L'INTÉRIEUR. RÉFÉREZ TOUTE RÉPARATION À UN TECHNICIEN QUALIFIÉ

Pour éviter un incendie ou un choc électrique, n'exposez pas cet équipement à la pluie ou à l'humidité. Ne stockez pas ou n'utilisez pas ce produit à proximité de liquides, de sources de chaleur telles que des radiateurs, des registres de chaleur. Nettoyez uniquement avec un chiffon sec. Les utilisateurs doivent faire preuve de plus de sécurité lorsque ce symbole apparaît dans ce manuel d'instructions et suivre toutes les précautions telles qu'elles sont indiquées.

UNBOXING INSTRUCTIONS

• DO NOT LIFT FROM TOP HANDLES • NO LEVANTE DE LAS ASAS SUPERIORES • NE PAS SOULEVER DES POIGNÉES SUPÉRIEURES•



- HANDLES ONLY FOR ROLLING
- ASAS SOLO PARA RODAR
- POIGNÉES UNIQUEMENT POUR ROULER



UNBOXING THE UNIT

- Step 1** Stand the unit upright
- Step 2** Tilt the boxed unit on its side to access the bottom of the box
- Step 3** Open the bottom of the box
- Step 4** Tilt the unit back to the upright position
- Step 5** Pull the box upward to reveal the unit.
- Step 6** Remove all packaging foam, tape, wrapping and dispose of the waste,


DESEMBALAJE DE LA UNIDAD

- Paso 1** Coloque la unidad en posición vertical
- Paso 2** Incline la unidad en caja de lado para acceder a la parte inferior de la caja
- Paso 3** Abra la parte inferior de la caja
- Paso 4** Incline la unidad hacia atrás a la posición vertical
- Paso 5** Tire de la caja hacia arriba para revelar la unidad.
- Paso 6** Retire toda la espuma de empaque, la cinta, el envoltorio y elimine los desechos.

DÉBALLAGE DE L'UNITÉ

- Étape 1** Mettre l'appareil debout
- Étape 2** Inclinez l'unité en boîte sur le côté pour accéder au fond de la boîte
- Étape 3** Ouvrez le fond de la boîte
- Étape 4** Inclinez l'appareil en position verticale
- Étape 5** Tirez la boîte vers le haut pour révéler l'unité.
- Étape 6** Retirez toute la mousse d'emballage, le ruban adhésif et l'emballage et éliminez les déchets.

CONTROL PANEL / PANEL DE CONTROL




FUNCTIONS:

FUNCIONES:

1. Power: Power On/Off
2. LED Power: Front Led Light Switch
3. MIC1 Input: Wired Microphone Input Jack 1
4. MIC2 Input: Wired Microphone Input Jack 2
5. GT Input: Guitar Input Jack
6. SD Slot: SD Card Slot For Mp3 Playback
7. USB Port: USB Port For Mp3 Playback
8. Bass: Bass Control
9. Treble: Treble Control
10. Mic Bass: Microphone Bass Control
11. MIC Treble: Microphone Treble Control
12. MIC Echo: Microphone Echo Control
13. GT. VOL: Guitar Volume Control
14. MIC. VOL: Microphone Volume Control
15. Display: Led Display Of Functions
16. MODE: Input Modes Selection (Bluetooth, USB/SD, FM, AUX)
17. LED Mode: Toggle To Select Led Party Light Mode
18. LED Color: Toggle To Select Led Party Color Mode
19. ◀◀: Fast-Rewind Music
20. ■: Stop Music
21. ▶▶: Fast-Forward Music
22. REP: Repeat Play Key
23. MIC PRI: Microphone Priority Sets Mic Level Above Music
24. EQ: Toggle To Preset Equalizer Modes
25. ◀◀: Short-Press For Previous Track In Mp3 Mode Or Previous Channel In FM Mode
26. ▶▶: Short-Press To Play Or Pause In Mp3 Mode. Short-Press To Auto Scan And Preset Available
27. ▶▶: Next/Ch+: Short-Press For Next Track In Mp3 Mode Ornext Channel In FM Mode
28. Volume: Master Volume Control

1. Energía: Encendido/Apagado
2. Alimentación LED: interruptor de luz LED frontal
3. Entrada MIC1: Conector de entrada de micrófono con cable 1
4. Entrada MIC2: Conector de entrada de micrófono con cable 2
5. Entrada GT: Conector de entrada de guitarra
6. Ranura SD: Ranura para tarjeta SD para reproducción de Mp3
7. Puerto USB: Puerto USB para reproducción de Mp3
8. Bajo: Control de graves
9. Agudos: Control de agudos
10. Bajo del micrófono: Control de bajos del micrófono
11. MIC Treble: Control de agudos del micrófono
12. MIC Echo: Control de eco del micrófono
13. GT. VOL: Control de volumen de guitarra
14. MICRÓFONO. VOL: Control de volumen del micrófono
15. Pantalla: Pantalla LED de funciones
16. MODO: Selección de modos de entrada (Bluetooth, USB/SD, FM, AUX)
17. Modo LED: alternar para seleccionar el modo de luz LED para fiestas
18. Color del LED: alternar para seleccionar el modo de color de fiesta LED
19. ◀◀: Música de rebobinado rápido
20. ■: Detener música
21. ▶▶: Música de avance rápido
22. REP: Repetir tecla de reproducción
23. MIC PRI: La prioridad del micrófono establece el nivel del micrófono por encima de la música
24. EQ v: Alternar a modos de ecualizador preestablecidos
25. ◀◀: Presione brevemente para ver la pista anterior en modo Mp3 o el canal anterior en modo Fm
26. ▶▶: Presione brevemente para reproducir o pausar en modo Mp3. Presione brevemente para escanear automáticamente y preestablecer disponibles
27. ▶▶: Siguiente/Ch+: Presione brevemente para la siguiente pista en modo Mp3 o el siguiente canal en modo Fm
28. Volumen: Control de volumen maestro


UNIT BACK PANEL / PANEL TRASERO DE LA UNIDAD



- 29. AUX INPUT: Audio input
- 30. DC 12V INPUT: External DC 12V
- 31. AC INPUT: AC 110-240V 50/60Hz

- 29. ENTRADA AUX: Entrada de audio
- 30. ENTRADA DE 12 V CC: 12 V CC externa
- 31. ENTRADA DE CA: CA 110-240 V 50/60 Hz

REMOTE CONTROL FUNCTIONS / FUNCIONES DEL CONTROL REMOTO



- 1. Power :Turns the Power On/Off
- 2. Number: Number keypad (0-10)
- 3. MUTE: Press to mute the Volume
- 4. REC: Recording
- 5. USB/SD: signal input
- 6. REP: Press to repeat and/or shuffle
- 7. [Play/Pause]: Press to Play or Pause
- 8. [Previous]: Previous Track/Channel
- 9. [Next]: Next Track/Channel
- 10. MODE: Select source (BT, AUX, FM, USB/TF)
- 11. AUX: Aux input
- 12. FM: FM radio
- 13. VOL+: Volume up
- 14. VOL-: Volume down
- 15. EQ: Equalizer presets

- 1. Encendido: enciende y apaga la alimentación.
- 2. Número: teclado numérico (0-10)
- 3. MUTE: presione para silenciar el volumen.
- 4. REC: Grabación
- 5. USB/SD: entrada de señal
- 6. REP: presione para repetir y/o reproducir aleatoriamente
- 7. [Play/Pause]: Presione para reproducir o pausar
- 8. [Previous]: Pista/Canal anterior
- 9. [Next]: Siguiente pista/canal
- 10. MODO: Seleccionar fuente (BT, AUX, FM, USB/TF)
- 11. AUX: entrada auxiliar
- 12. FM: radio FM
- 13. VOL+: Subir volumen
- 14. VOL-: Bajar volumen
- 15. EQ: ajustes preestablecidos del ecualizador

CHARGING THE SPEAKER

1. Full recharge takes 8-12 hours.
3. Whah us ate using leu chat while? is hiuchad to tans ehrentät power source, battery switch can be ON or OFF.
4. To protect the lifespan of the built-in battery, be sure to fully charge your unit on the same day the battery runs out. Not charging your unit right away can affect the performance of the battery.

WIRED MICROPHONE INSTRUCTIONS

1. Insert the microphone plug into the microphone input jack.
2. Adjust the microphone volume knob MIC VOL for proper volume.
3. Adjust the echo depth to the proper position.
4. Now you can start using your microphone.

WIRELESS CONNECTION

You can connect your compatible wireless devices such as a call phone, computer etc., to listen to your audio tracks from this speaker. Press the MODE button on the speaker, or press the MODE button on the remote control to enter wireless mode, indicated on the LED display. Using the native controls on your device, select "PBX-1212 " in your settings to pair, and once successful, you will hear a sound of notice on the speaker.

TWS FUNCTION

1. Turn on both devices of the same model and switch both devices to Bluetooth mode.
2. The distance between the two units is within 50 CM.
3. Select one as the host (any one can) press the MODE button for 3 seconds, and start to connect when the connection is successful, and the USB display "BLUE" of the slave is bright.
4. Turn on the phone Bluetooth and connect to the QFX PBX-1212. the next two speakers will automatically connect to each other.
5. Disconnect TWS: Press and hold the MODE button for 3 seconds. TWS has been disconnected.

PRECAUTIONS

To prevent operational problems or serious damage to the speaker unit, please follow the below precautions:

1. Pull out the power cord from the end of the plug. Do not pull the wire.
2. The speaker should be kept away from other heat sources.
3. Do not attempt to open the internal speaker unit or change the circuitry as this may cause the unit to be damaged or cause an electrical shock.
4. If you are not going to use the unit for a long period of time, pull out the plug and store in a cool dry place.
5. Ensure the speaker is properly ventilated & kept in a dry location. It is recommended that the speaker be kept a minimum of 4 inches away from any wall or object.

WARNING: Do not use this Speaker in any wet location, in the rain or a location with high moisture. Do not place any liquids or other objects on the Speaker as this may cause an accidental short.* Specifications are subject to change without notice. * All Trademarks and trade names belong to their respective owners.

CARGAR EL ALTAVOZ

1. La recarga completa tarda entre 8 y 12 horas.
3. ¿Qué comimos usando leu chat mientras? Está conectado a una fuente de alimentación eléctrica, el interruptor de la batería puede estar encendido o apagado.
4. Para proteger la vida útil de la batería incorporada, asegúrese de cargar completamente su unidad el mismo día que se agote la batería. No cargar su unidad de inmediato puede afectar el rendimiento de la batería.

INSTRUCCIONES DEL MICRÓFONO CON CABLE

1. Inserte el enchufe del micrófono en el conector de entrada del micrófono.
2. Ajuste la perilla de volumen del micrófono MIC VOL para obtener el volumen adecuado.
3. Ajuste la profundidad del eco a la posición adecuada.
4. Ahora puedes empezar a usar tu micrófono.

CONEXIÓN INALÁMBRICA

Puede conectar sus dispositivos inalámbricos compatibles, como un teléfono, computadora, etc., para escuchar sus pistas de audio desde este altavoz. Presione el botón MODE en el altavoz, o presione el botón MODE en el control remoto para ingresar al modo inalámbrico, indicado en la pantalla LED. Usando los controles nativos de su dispositivo, seleccione "PBX-1212" en su configuración para emparejar y, una vez exitoso, escuchará un sonido de aviso en el altavoz.

FUNCIÓN TWS

1. Encienda ambos dispositivos del mismo modelo y cambie ambos dispositivos al modo Bluetooth.
2. La distancia entre las dos unidades es de 50 CM.
3. Seleccione uno como host (cualquiera puede) presione el botón MODO durante 3 segundos y comience a conectarse cuando la conexión sea exitosa y aparezca la pantalla USB. El "BLUE" del esclavo es brillante.
4. Encienda el Bluetooth del teléfono y conéctelo al QFX PBX-1212. los siguientes dos altavoces se conectarán automáticamente entre sí.
5. Desconectar TWS: Mantenga presionado el botón MODE durante 3 segundos. TWS ha sido desconectado.

PRECAUCIONES

Para evitar problemas operativos o daños graves a la unidad de altavoz, siga las siguientes precauciones:

1. Saque el cable de alimentación del extremo del enchufe. No tire del cable.
2. El altavoz debe mantenerse alejado de otras fuentes de calor.
3. No intente abrir la unidad de altavoz interno ni cambiar el circuito, ya que esto puede dañar la unidad o provocar una descarga eléctrica.
4. Si no va a utilizar la unidad durante un largo período de tiempo, desenchúfela y guárdela en un lugar fresco y seco.
5. Asegúrese de que el altavoz esté adecuadamente ventilado y mantenido en un lugar seco. Se recomienda mantener el altavoz a una distancia mínima de 4 pulgadas de cualquier pared u objeto.

ADVERTENCIA: No utilice este altavoz en ningún lugar húmedo, bajo la lluvia o en un lugar con mucha humedad. No coloque líquidos u otros objetos sobre el altavoz, ya que esto puede provocar un cortocircuito accidental.* Las especificaciones están sujetas a cambios sin previo aviso. * Todas las marcas comerciales y nombres comerciales pertenecen a sus respectivos dueños.

TWS

TRUE WIRELESS STEREO




CONNECT 2

CONECTAR 2 • RELIER 2

PAIR 2 PBX-1212

STEP 1
PASO 1
ÉTAPE 1



Push the Mode Button on both speakers until speakers are in Bluetooth Mode. Screen will display the word "Blue"

Presione el botón de modo en ambos altavoces hasta los altavoces están en Bluetooth Mode. La pantalla mostrará la palabra "Blue"

Appuyez sur le bouton Mode sur les deux haut-parleurs jusqu'à ce que les haut-parleurs soient en mode Bluetooth. L'écran affichera le mot «Blue»

STEP 2 PASO 2 ÉTAPE 2



TWS



TWS

When both speakers are in Bluetooth mode, push and hold the TWS button for 3 seconds. You will hear a beep. Next time you put both speakers in Bluetooth mode at the same time, speakers will connect automatically.

Cuando ambos altavoces estén en modo Bluetooth, presione y mantenga presionado el botón TWS durante 3 segundos. Oírás un bip. La próxima vez que pongas ambos altavoces en Bluetooth modo al mismo tiempo, los altavoces se conectarán automáticamente.

Lorsque les deux enceintes sont en mode Bluetooth, appuyez sur et maintenez le bouton TWS pendant 3 secondes. Vous entendrez un bip. La prochaine fois que vous mettez les deux haut-parleurs en Bluetooth en même temps, les haut-parleurs se connecteront automatiquement.

STEP 3 PASO 3 ÉTAPE 3

On your device, turn your Bluetooth settings "ON", you will then select "QFX PBX-1212". Enjoy TWS (True Wireless Stereo) sound from your phone via Bluetooth!

En su dispositivo, active la configuración de Bluetooth, luego seleccionará "QFX PBX-1212". Disfruta TWS (True Wireless Stereo) sonido desde su teléfono a través de Bluetooth!

Sur votre appareil, activez vos paramètres Bluetooth, vous sélectionnerez ensuite «QFX PBX-1212». Profitez de TWS (True Wireless Stereo) son de votre téléphone via Bluetooth!





LIMITED PRODUCT WARRANTY POLICY

Before returning your Product for service under this Warranty, please (i) read the instruction manual carefully and visit our website at www.qfxusa.com for Product updates and extended support documentation (e.g., Common Troubleshooting Guides); (ii) if you are still having trouble with your Product, please contact the QFX Customer Support Department.

Subject to the terms and conditions herein, QFX, Inc. (herein after called "QFX") warrants to the original purchaser of the Product ("Customer") that for the applicable Warranty Period listed below, the Product will be free from defects in material or workmanship under normal, non-commercial use ("Defects").

Warranty Period encompasses, as listed below, separate "Coverage Periods" for Parts and Labor, each Coverage Period to begin from the original date of Customer purchase. If Customer returns a defective Product (or any component thereof) during the applicable Warranty Period, QFX will, at its option, during the specified Coverage Periods for Parts and Labor (as applicable either: (i) repair the Product (or, as applicable, any component thereof) or (ii) replace the Product (or, as applicable, any component thereof) with a new or refurbished Product (or, as applicable, any component thereof), in either case free of charge to Customer for Parts and/or Labor (as applicable) during the specified Coverage Period only, and excluding applicable shipping charges (noted below), for which the Customer is responsible. The foregoing states the Customer's exclusive remedy and QFX sole liability for breach of the limited warranty contained herein.

This warranty covers only normal use. This warranty is not transferable. QFX is not responsible for warranty replacement should the QFX label or logo be removed or should the product fail to be properly maintained or fail to function properly as a result of misuse, abuse, immersion in liquids, improper installation, improper shipping, damage caused by disasters such as fire, flood, or service other than by QFX. In addition, this warranty excludes any Product (or, as applicable, any component thereof) that has been subject to or Defects resulting from: (a) any neglect or misuse by a Customer, an accident, improper application, violation of operating instructions for the Product, any other Customer-induced damage, or the alteration or removal of any Product serial number; (b) any modification or repair to Product (or, as applicable, any component thereof) by any party other than QFX or a party authorized in writing by QFX; (c) any damage to Product (or, as applicable, any component thereof) due to power surges, incorrect electrical voltage, misconnection to any device, or malfunction of any device used with the Product (or, as applicable, any component thereof); (d) cosmetic damage to the Product (or, as applicable, any component thereof) caused by normal wear and tear; (e) shipping damage that occurs while the Product is in transit; (f) damage caused by heat sources, sunlight, electromagnetic conditions, or other climatic conditions or (g) any acts of God.

Product is sold to Customer for personal, non-commercial use only. Product is not warranted for Customer's commercial or rental use. In addition, Product is not warranted against failure, and should not be used by Customer for any application where (i) there is a risk that any data stored on Product will be breached or otherwise compromised, or (ii) the date stored on Product is relied upon for medical or lifesaving applications. QFX disclaims any Warranty for any of the foregoing uses to the fullest extent permitted by law. Customer assumes any and all risks associated with such uses of Product, and agrees to indemnify QFX for any damages claimed against QFX for such uses.

EXCEPT FOR EXPRESS WARRANTIES STATED ABOVE AND TO THE MAXIMUM EXTENT PERMITTED BY LAW, THE PRODUCTS ARE PROVIDED "AS IS" AND QFX DISCLAIMS ALL OTHER WARRANTIES, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY (i) OF MERCHANTABILITY, (ii) OF FITNESS FOR A PARTICULAR PURPOSE, OR (iii) OF NON-INFRINGEMENT OF THIRD PARTY RIGHTS. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT WILL QFX BE LIABLE TO CUSTOMER OR ANY THIRD PARTY FOR ANY INDIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL, EXEMPLARY OR PUNITIVE DAMAGES, INCLUDING, WITHOUT LIMITATION, ANY LOST PROFITS OR REVENUES, LOSS OR INACCURACY OF ANY DATA OR COST OF SUBSTITUTE GOODS, REGARDLESS OF THE THEORY OF LIABILITY (INCLUDING NEGLIGENCE) AND EVEN IF QFX HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, QFX AGGREGATE LIABILITY TO CUSTOMER FOR ACTUAL DIRECT DAMAGES FOR ANY CAUSE WHATSOEVER SHALL BE LIMITED TO THE CUMULATIVE PRODUCT FEES PAID BY THAT CUSTOMER FOR THE PRODUCTS CAUSING THE DAMAGES, IF ANY.

This Warranty gives Customer specific rights, and Customer may also have other rights that vary from jurisdiction to jurisdiction. Warning: Some Products may contain components that are small enough to be swallowed. Please keep out of reach of children. In order for the return to be processed, you must send the Product PREPAID to the address below in the original packaging or reasonable substitute to prevent damage and include: (1) a dated sales receipt (which must have a purchase date that falls in the Warranty Period specified in the table below) that indicates the place of purchase, model number of Product, and amount paid, (2) a detailed description of Customer's problem with Product, (3) Customer's full name, phone number, and return address, (3) all of the accessories that came with the Product package must be sent along with the main Product, (4) a cashier's check or money order payable to QFX, Inc., in the amount specified for the item in the product table below for return shipping and handling. If in the case you cannot provide a money order or cashier's check, you can contact The QFX Customer Support Representative to arrange payment via credit card. No returned Product will be shipped back to a PO BOX. If a returned Product is found to have no problem and/or does not include ALL of the requirements indicated above, it may be returned back to the customer and will not be processed.

QFX USA®, Inc.
RMA Processing
Customer Support Department
2957 E. 46th Street | Vernon, CA 90058

support@qfxusa.com
(800) 864-CLUB (2582) or (323) 864-6900
qfxusa.com
Hours of Operation: Monday - Friday, 9am - 5pm PST

All prices and details below are for US Destinations excluding, Hawaii, Alaska and Puerto Rico. For excluded destinations and NON US destinations, please contact The QFX Customer Support Department directly for additional shipping fees and return instructions.

If you do not find your Product below, your Product model conflicts with multiple categories, and/or are unsure of which category the Product you have purchased will fall under, please contact our Customer Support Department for further instruction.

In order to determine the exact shipping cost that must be included with your product or paid for the product being returned, please refer to the table below. Please find the product you wish to return by category or model number prefix. QFX will not provide any return or refund to any customer for merchandise and will only honor the Limited Warranty restrictions mentioned in this document.

Please make sure to follow all directions prior to shipping back your item. If you are not sure what the shipping cost for your item is, or if your item category conflicts in the table below, please feel free to contact the QFX Support Department for further assistance.

PRODUCT CATEGORY	HANDLING	LABOR	PARTS
Earphones, Headphones, Pocket Radios, & Small Bluetooth vSpeakers	\$5.00	1 Year	1 Year
Personal Stereos	\$10.00	1 Year	1 Year
Portable Radio/Cassette	\$15.00	1 Year	1 Year
Large Portable Radio Cassette	\$20.00	1 Year	1 Year
Mobile Audio	\$10.00	1 Year	1 Year
Pro Audio SBX Systems	\$75.00	1 Year	1 Year
Pro Audio PBX Systems	\$75.00	1 Year	1 Year
Televisions	\$25.00	1 Year	1 Year
Telephones	\$10.00	1 Year	1 Year

THE WARRANTY AND REMEDY PROVIDED ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHER EXPRESSED OR IMPLIED WARRANTIES INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, NON-INFRINGEMENT OR FITNESS FOR A PARTICULAR PURPOSE. SOME LAWS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES. IF THESE LAWS APPLY, THEN ALL EXPRESSED OR IMPLIED WARRANTIES ARE LIMITED TO THE WARRANTY PERIOD IDENTIFIED ABOVE. UNLESS STATED HEREIN, ANY STATEMENT OR REPRESENTATIONS MADE BY ANY OTHER PERSONS OR FIRM ARE VOID. EXCEPT AS PROVIDED IN THIS WRITTEN WARRANTY, QFX SHALL NOT BE LIABLE FOR ANY LOSS, INCONVENIENCE, OR DAMAGE, INCLUDING DIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, RESULTING FROM THE USE OR INABILITY TO USE THE QFX PRODUCT, WHETHER RESULTING FROM BREACH OF WARRANTY OR ANY OTHER LEGAL THEORY.

Some jurisdictions do not allow limitations on how long an implied warranty lasts, and some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations and exclusions may not apply to you. This warranty gives you special legal rights and you may have other rights which vary from jurisdiction to jurisdiction.

Copyright Protected 2024 ©



www.qfxusa.com



1-800-864-2582
Mon-Fri 9AM - 5PM (PST)



support@qfxusa.com
Mon-Fri 9AM - 5PM (PST)

THANK YOU.

QFX Where the Party Begins!

We would love to hear about your PBX-1212 journey!
Tag us **@QFXUSA** to share your stories.

FOLLOW US @QFXUSA

